



PURE  SOUND

 the italian amp



WARRANTY



I strongly believe that the sound lies in both the hands and head of the musician, as much as in the instrument itself. In 30 years of playing, I have had all sorts of amps, enjoying each one of them. Yet, they all had an own 'colour', an own sound.

Since I needed to hear the sound of each of my instruments, appreciating all of its shades, I decided that my amp had to be absolutely 'pure'. Therefore, I designed an amp characterised by a flat EQ, able to generate an unaltered sound, with no boosted bass, 'scooped' mid, or sharp high frequencies. An amp effectively able to provide a 'pure' sound, which can be later carved according to one's taste through the EQ and different filters.

The **'Pure Sound'** is my philosophy as well as the first GRBASS amp I personally conceived and designed to meet my needs. Many colleagues, after a few times with it, found out something they had not realized yet: the true sound of their bass. Since that moment, as the requested surged, the GRBASS was born. If you too want to know what your instrument sounds like, then you just to find it out with us.



HE

AD





HEAD

DUAL

power **1400W RMS 4 ohm**

power **800W RMS 4 ohm**

FRONT PANEL

- Tuner / Vu-Meter
 - Input 1
 - Input 2
 - Aux In
 - Gain (Ch1, Ch2)
 - Deep filter (Ch1, Ch2)
 - Low (Ch1, Ch2)
 - mid Low (Ch1, Ch2)
 - mid High (Ch1, Ch2)
 - High (Ch1, Ch2)
 - Bright filter (Ch1, Ch2)
 - 3 freq midLow (Ch1, Ch2)
 - 3 freq midHigh (Ch1, Ch2)
- Pure Sound
 - Line Out 1 -
 - Line Out 2
 - Headphone master
 - Headphone output
 - Mute
 - Fan (Studio/Live mode)
 - Master (Ch1, Ch2)

> OVERDRIVE

- Low filter
- Drive
- Blend
- Drive mod

REAR PANEL

- Input 230-115v (auto sel)
- 9 Volt 300mA
- USB charger 300mA
- Pedal Board
- Send/Return
- Pre/Post DI
- GND lift
- Line Output Dual/Mix
- 2 Speakon



OVERDRIVE
INTEGRATED


DIMENSIONS

Dimensions: 31 x 26 x 9 cm
 Weight: 3.55 Kg mod. DUAL 1400
 Weight: 2.95 Kg mod. DUAL 800

COLOURS

black, white, custom colour

PEDAL BOARD optional





DIMENSIONS

Dimensions: 31 x 20 x 5 cm
Weight: 2.85 Kg

COLOURS

black, white, custom colour

HEAD

ONE 1400



power **1400W RMS 4 ohm**

FRONT PANEL

- Tuner / Vu-Meter
- Input
- Aux In
- Gain
- Deep filter
- Low
- mid Low
- mid High
- High
- Bright filter
- 3 freq for mid Low
- 3 freq for mid High
- Pure Sound
- Volume DI (antibump)
- Headphone master
- Headphone output
- Master Ch1
- Master Ch2
- Mute

REAR PANEL

- Input 230-115v (auto selectable)
- 9 Volt 300mA
- Send/Return
- Pre/Post DI
- GND lift
- DI Output
- 2 Speakon
- Fan (Studio/Live mode)





HEAD

ONE

ONE 800 power **800W RMS 4 ohm**

ONE 350 power **350W RMS 4 ohm**

FRONT PANEL

- Tuner / Vu-Meter
- Input
- Aux In
- Gain
- Deep filter
- Low
- mid Low
- mid High
- High
- Bright filter
- 3 freq for mid Low
- 3 freq for mid High
- Pure Sound
- Volume DI (antibump)
- Headphone master
- Headphone output
- Master Ch1
- Master Ch2
- Mute

REAR PANEL

- Input 230-115v (auto selectable)
- 9 Volt 300mA
- Send/Return
- Pre/Post DI
- GND lift
- DI Output
- 2 Speakon
- Fan (Studio/Live mode)



DIMENSIONS

Dimensions: 25.5 x 20 x 5 cm
 Weight: 2.2 Kg mod. ONE 800
 Weight: 1.6 Kg mod. ONE 350

COLOURS

black, white, custom colour





HEAD

mini ONE



power **350W RMS 4 ohm**

FRONT PANEL

- Input
- Aux In
- Low
- Mid
- High
- Headphone
- Master
- Pre/Post
- deep
- mid freq 400/800hz
- Bright
- Mute

REAR PANEL

- Input 230-115v (auto selectable)
- DI Output
- Speakon

DIMENSIONS

Dimensions: 19 x 16 x 4.3 cm
Weight: 1.3 Kg

COLOURS

black, white, custom colour





DIMENSIONS

Dimensions: 31 x 20 x 5 cm
Weight: 2.85 Kg

COLOURS

black, white, custom colour

HEAD

PureAmp700x2



power **700W x 2 RMS 4 ohm**

FRONT PANEL

- Input Ch1
- Gain 1
- Master Ch1
- Power Led
- Master 2
- Gain 2
- Input Ch2

REAR PANEL

- Input 230-115v (auto selectable)
- 9 Volt 300mA
- GND lift
- DI Output





DIMENSIONS

Dimensions: 25,5 x 20 x 5 cm
Weight: 2,2 Kg (mod. PureAmp800)
Weight: 1,6 Kg (mod. PureAmp350)

COLOURS

black, white, custom colour



HEAD

PureAmp

PureAmp 800 power **800W RMS 4 ohm**


PureAmp 350 power **350W RMS 4 ohm**

FRONT PANEL

- Input
- Gain
- Power Led
- Master 2

REAR PANEL

- Input 230-115v (auto selectable)
- 9 Volt 300mA
- GND lift
- DI Output





DIMENSIONS

Dimensions: 17.5 x 15 x 4 cm
Weight: 0.3 Kg

COLOURS

black, white, custom colour

PREAMP OVERDRIVE

PURE DRIVE



- Input
- Gain
- Master
- Pre/post

- Tuner
- 9 Volt
- GND lift
- DI Output

- > EQ
 - Deep filter
 - Low
 - Mid Low
 - Mid High
 - High
 - Bright filter
 - 2 freq for mid Low
 - 2 freq for mid High

- > OVERDRIVE
 - Low filter
 - Drive
 - Blend
 - Drive mod
 - Master

PURE
DRIVE



C

A

B

E

R

GR BASS





CABINET

CUBE 112

power **450W RMS** (AES Standard)

IMPEDANCE

8 or 4 ohm

BASS REFLEX

on rear

TWEETER

regulation 3 position switch

FREQUENCY RESPONSE

40Hz to 18 KHz

SENSITIVITY

98 dB SPL

DIMENSIONS

Dimensions: 43 H x 40 W x 35 D cm

Weight: 11 Kg

COLOURS

black



CABINET

GR 208

power **500W RMS** (AES Standard)

IMPEDANCE

8 or 4 ohm

BASS REFLEX

rear

TWEETER

1° with Lpad regulator

FREQUENCY RESPONSE

38Hz to 18 KHz

SENSITIVITY

96 dB SPL

DIMENSIONS

Dimensions: 57 H x 30 W x 31 D cm

Weight: 10.5 Kg

COLOURS

black



CABINET

GR 112H

power **450W RMS** (AES Standard)

IMPEDANCE

8 or 4 ohm

BASS REFLEX

on front

TWEETER

1° with Lpad regulator

FREQUENCY RESPONSE

38Hz to 22 KHz

SENSITIVITY

98 dB SPL

DIMENSIONS

Dimensions: 39 H x 51 W x 35 D cm

Weight: 12.8 Kg

COLOURS

black



CABINET

GR 210

power **600W RMS** (AES Standard)

IMPEDANCE

8 or 4 ohm

BASS REFLEX

on front

TWEETER


1° with Lpad regulator

FREQUENCY RESPONSE

35Hz to 22 KHz

SENSITIVITY

102 dB SPL



DIMENSIONS

Dimensions: 55 H x 51 W x 30 D cm

Weight: 16 Kg

COLOURS

black



CABINET

GR 212 slim

power **900W RMS** (AES Standard)

IMPEDANCE

8 or 4 ohm

BASS REFLEX

rear

TWEETER

1° with Lpad regulator

FREQUENCY RESPONSE

35Hz to 22 KHz

SENSITIVITY

102 dB SPL

DIMENSIONS

Dimensions: 74 H x 35 W x 35 D cm

Weight: 19 Kg

COLOURS

black



GRBASS



CABINET

GR 212

power **700W RMS** (AES Standard)

IMPEDANCE

8 or 4 ohm

BASS REFLEX

on front

TWEETER

1° with Lpad regulator

FREQUENCY RESPONSE

35Hz to 22 KHz

SENSITIVITY

102 dB SPL

DIMENSIONS

Dimensions: 74 H x 51 W x 35 D cm

Weight: 20 Kg

COLOURS

black



CABINET

GR 115

power **400W RMS** (AES Standard)

IMPEDANCE

8 or 4 ohm

BASS REFLEX

on front

TWEETER


1° with Lpad regulator

FREQUENCY RESPONSE

35Hz to 22 KHz

SENSITIVITY

99 dB SPL




DIMENSIONS

Dimensions: 57 H x 47 W x 40 D cm

Weight: 18 Kg

COLOURS

black



CABINET

GR 410

GR 410 power **600W RMS** (AES Standard)

GR 410+ power **1200W RMS** (AES Standard)

IMPEDANCE

4 ohm

BASS REFLEX

on front

TWEETER

1° with Lpad regulator

FREQUENCY RESPONSE

35Hz to 22 KHz

SENSITIVITY

103 dB SPL

DIMENSIONS

Dimensions: 66 H x 57 W x 42 D cm

Weight: 25 Kg

COLOURS


black

ROOM

The word 'ROOM' is rendered in large, bold, sans-serif capital letters. The 'R' is filled with a red-to-orange gradient and contains a black silhouette of a hand holding a microphone. The 'O' is filled with a yellow-to-white gradient and contains a black silhouette of a hand holding a guitar. The 'M' is filled with a yellow-to-white gradient and contains a black silhouette of a hand holding a microscope. The background is black with a faint, light-colored grid pattern.

BO

The word 'BO' is rendered in large, bold, sans-serif capital letters. The 'B' is filled with a red-to-orange gradient and contains a black silhouette of a hand holding a guitar. The 'O' is filled with a yellow-to-white gradient and contains a black silhouette of a hand holding a microscope. The background is black with a faint, light-colored grid pattern.



COMBO

CUBE

CUBE 350 power Head **350W RMS***
power cabinet **450W RMS***

CUBE 500 power Head **500W RMS***
power cabinet **500W RMS***

BASS REFLEX

rear

TWEETER

regulation 3 position switch

SENSITIVITY

98 dB SPL

FREQUENCY RESPONSE

40Hz to 18 kHz

FRONT PANEL

- Tuner / Vu-Meter
- Input
- Aux In
- Gain
- Deep filter
- Low
- mid Low
- mid High
- High
- Bright filter
- 3 freq mid Low
- 3 freq mid High
- Pure Sound
- Volume DI (antibump)
- Headphone master
- Headphone output
- Master
- Mute

REAR PANEL


- Input 230-115v (auto selectable)
- 9 Volt 300mA
- Send/Return
- Pre/Post DI
- GND lift
- DI Output
- Speakon
- Fan (Studio/Live mode)

Dimensions: 43 H x 40 W x 35 D cm

Weight: 14 Kg

Colour: Black

* (AES Standard)



COMBO

CUBE 800

power Head **800W RMS** (AES Standard)
power cabinet **450W RMS** (AES Standard)

BASS REFLEX

rear

TWEETER

regulation 3 position switch

SENSITIVITY

98 dB SPL

FREQUENCY RESPONSE

35Hz to 22 kHz

IMPEDANCE

8 ohm

FRONT PANEL

- Tuner / Vu-Meter
- Input
- Aux In
- Gain
- Deep filter
- Low
- mid Low
- mid High
- High
- Bright filter
- 3 freq mid Low
- 3 freq mid High
- Pure Sound
- Volume DI (antibump)
- Headphone master
- Headphone output
- Master
- Mute

REAR PANEL

- Input 230-115v (auto selectable)
- 9 Volt 300mA
- Send/Return
- Pre/Post DI
- GND lift
- DI Output
- Speakon
- Fan (Studio/Live mode)

Dimensions: 43 H x 40 W x 35 D cm

Weight: 14 Kg

Colour: Black



COMBO

GR 112H-350

power Head **350W RMS** (AES Standard)

power cabinet **450W RMS** (AES Standard)

BASS REFLEX

on front

TWEETER

1" with Lpad regulator

SENSITIVITY

98 dB SPL

FREQUENCY RESPONSE

35Hz to 22 kHz

FRONT PANEL

- Tuner / Vu-Meter
- Input
- Aux In
- Gain
- Deep filter
- Low
- mid Low
- mid High
- High
- Bright filter
- 3 freq mid Low
- 3 freq mid High
- Pure Sound
- Volume DI (antibump)
- Headphone master
- Headphone output
- Master
- Mute

REAR PANEL

- Input 230-115v (auto selectable)
- 9 Volt 300mA
- Send/Return
- Pre/Post DI
- GND lift
- DI Output
- Speakon
- Fan (Studio/Live mode)

Dimensions: 58 H x 39 W x 35 D cm

Weight: 15 Kg

Colour: Black



COMBO

GR 112H-800

power Head **800W RMS** (AES Standard)
power cabinet **450W RMS** (AES Standard)

BASS REFLEX

on front

TWEETER

1" with Lpad regulator

SENSITIVITY

98 dB SPL

FREQUENCY RESPONSE

38Hz to 22 kHz

IMPEDANCE

8 ohm

FRONT PANEL

- Tuner / Vu-Meter
- Input
- Aux In
- Gain
- Deep filter
- Low
- mid Low
- mid High
- High
- Bright filter
- 3 freq mid Low
- 3 freq mid High
- Pure Sound
- Volume DI (antibump)
- Headphone master
- Headphone output
- Master
- Mute

REAR PANEL

- Input 230-115v (auto selectable)
- 9 Volt 300mA
- Send/Return
- Pre/Post DI
- GND lift
- DI Output
- Speakon
- Fan (Studio/Live mode)

Dimensions: 58 H x 39 W x 35 D cm

Weight: 16 Kg

Colour: Black



COMBO

GR 210-350

power Head **350W RMS** (AES Standard)
 power cabinet **350W RMS** (AES Standard)

BASS REFLEX

on front

TWEETER

1" with Lpad regulator

SENSITIVITY

98 dB SPL

FREQUENCY RESPONSE

35Hz to 22 kHz

FRONT PANEL

- Tuner / Vu-Meter
- Input
- Aux In
- Gain
- Deep filter
- Low
- mid Low
- mid High
- High
- Bright filter
- 3 freq mid Low
- 3 freq mid High
- Pure Sound
- Volume DI (antibump)
- Headphone master
- Headphone output
- Master
- Mute

REAR PANEL

- Input 230-115v (auto selectable)
- 9 Volt 300mA
- Send/Return
- Pre/Post DI
- GND lift
- DI Output
- Speakon
- Fan (Studio/Live mode)

Dimensions: 62 H x 51 W x 30 D cm

Weight: 20 Kg

Colour: Black



COMBO

GR 210-800

power Head **800W RMS** (AES Standard)
 power cabinet **600W RMS** (AES Standard)

BASS REFLEX

on front

TWEETER

1" with Lpad regulator

SENSITIVITY

98 dB SPL

FREQUENCY RESPONSE

35Hz to 22 kHz

IMPEDANCE

4 ohm

FRONT PANEL

- Tuner / Vu-Meter
- Input
- Aux In
- Gain
- Deep filter
- Low
- mid Low
- mid High
- High
- Bright filter
- 3 freq mid Low
- 3 freq mid High
- Pure Sound
- Volume DI (antibump)
- Headphone master
- Headphone output
- Master
- Mute

REAR PANEL

- Input 230-115v (auto selectable)
- 9 Volt 300mA
- Send/Return
- Pre/Post DI
- GND lift
- DI Output
- Speakon
- Fan (Studio/Live mode)

Dimensions: 58 H x 39 W x 35 D cm

Weight: 16 Kg

Colour: Black



choose your skin
customize
your product



GRBASS di Gianfranco Rizzi
Via Conchia sn
Monopoli (BA) - ITALY
info@grbass.com
www.grbass.com

Products can change without notice